

## Application under the Trade Waste Bylaw of Whangarei District Council – Dentistry format

### Details of business (trade waste producer)

Name of business: \_\_\_\_\_

Street address: \_\_\_\_\_

Postal address: \_\_\_\_\_

Phone number: \_\_\_\_\_

Nature of activity generating trade waste: \_\_\_\_\_

### Name and address of applicant (if different from above)

Name: \_\_\_\_\_

Address: \_\_\_\_\_

Phone number: \_\_\_\_\_

### Details of trade waste discharge

#### Type of application

Proposed discharge

Existing discharge with no consent

Consent renewal

Consent number: \_\_\_\_\_

Variation of existing discharge

Type of variation \_\_\_\_\_

### Volume and rate of discharge

Average daily volume (m<sup>3</sup>): \_\_\_\_\_

Daily / seasonal discharge \_\_\_\_\_

Maximum flow (L/sec) \_\_\_\_\_

#### Proposed method of flow measurement:

Calibrated meter (e.g. mains / internal supply)

Manufacturer specification

Other (*please specify*): \_\_\_\_\_

#### Office use

Date received \_\_\_\_\_ File no \_\_\_\_\_

Consent no \_\_\_\_\_ Issuing officer \_\_\_\_\_

### Composition of discharge

Is there a pre-treatment system (e.g. filter or similar)  Yes  No

If yes, please specify: \_\_\_\_\_

Any other chemicals on site? \_\_\_\_\_

### Drainage layout

Diameter of sewer being discharged into: \_\_\_\_\_

Attach plan / sketch of the drainage layout for premises. Include details of:

- i Any pre-treatment systems and management plans for their operation
- ii Reservoirs or impounding areas to which wastes could be diverted in an emergency

### Additional information

Please include any supporting information you may have, i.e. material safety data sheets for chemicals, existing resource consents, relevant management plans, etc

---

---

---

### Compliance statement

**(to be completed by executive representative of registered company)**

The discharge referred to in this application complies with all conditions of the Trade Waste Bylaw 2023. The discharge does not contain any substances which are specifically prohibited under Schedule 1B of the Trade Waste Bylaw 2023.

I understand that under Section 4.10 of this bylaw, failure to limit trade waste discharges to within the parameters specified in Whangarei District Council's Trade Waste Consent or Special Agreement issued under this bylaw can be reasonable grounds for cancellation of this consent.

\_\_\_\_\_  
Signed Name (please print)

\_\_\_\_\_  
Designation (please print) Organisation (please print)

Dated this \_\_\_\_\_ day of \_\_\_\_\_ 202\_\_\_\_\_

### Application checklist

- |                                 |                              |                             |
|---------------------------------|------------------------------|-----------------------------|
| All sections completed          | <input type="checkbox"/> Yes | <input type="checkbox"/> No |
| Analysis attached               | <input type="checkbox"/> Yes | <input type="checkbox"/> No |
| Drainage plan / sketch attached | <input type="checkbox"/> Yes | <input type="checkbox"/> No |
| Application signed              | <input type="checkbox"/> Yes | <input type="checkbox"/> No |

**Note: Application fee(s) apply.**